


M8169

PDF

PDF PATTERNS

FACE COVER



THINGS YOU'LL NEED

> 1/2 Yard (0.5m) of 1/8"(3mm) -1/4"(6mm) wide Elastic.

SUGGESTED FABRICS


> Tightly Woven Cottons


CUTTING INFO


2 PIECES OF FABRIC 7 3/4" x 7 1/2"(19.5cm x 19cm)

FACE COVER

- 1 Cut two pieces of elastic each measuring 7"(18cm) long. On OUTSIDE, pin ends of elastic to one face cover section, centering at large circles. Baste.
- 2 Pin face cover sections together. Stitch outer edges in a 1/4"(6mm) seam, leaving an opening.








4 To make pleats, on OUTSIDE, fold along solid lines through all thicknesses.

Bring folds to broken lines. Baste 1/2"(1.3cm) from finished edges.

5 On OUTSIDE, stitch along basting. Stitch again 1/8"(3mm) away from first stitching.





M8169 >> SEWING INSTRUCTIONS






You've completed your sewing adventure!

SHARE OOK



Post your pattern and tag us at @McCALLPATTERNCOMPANY and use #MCCALLSPATTERNS for a chance to be featured on our social media!

Look for more McCall's PDF patterns at **McCALLPATTERN.COM**



 $\label{eq:copyright} \verb"Copyright" @ 2020 CSS Industries, Inc. All Rights Reserved. \\ Sold for individual home use only and not for commercial or manufacturing purposes. \\$