


# McCall's®

## M8169

### FACE COVER



#### THINGS YOU'LL NEED

> 1/2 Yard P of 1/8"(3mm) -1/4"(6mm) wide Elastic.

#### CUTTING INFO

2+'%'5 1( (#\$4+%Z


E O Z

#### SUGGESTED FABRICS


> Tightly Woven Cottons

## FACE COVER


- 1** Cut two pieces of elastic each measuring 7"(18cm) long. On **OUTSIDE**, pin ends of elastic to one face cover section, centering at large circles. Baste.



- 2** Pin face cover sections together. Stitch outer edges in a 1/4"(6mm) seam, leaving an opening.




- 3** Turn cover **RIGHT** side out, sew opening. Stitch close to finished edges.





- 4** To make pleats, on **OUTSIDE**, fold along solid lines through all thicknesses.

Bring folds to broken lines. Baste 1/2"(1.3cm) from finished edges.




- 5** On **OUTSIDE**, stitch along basting. Stitch again 1/8"(3mm) away from first stitching.





1/4 IN. (6mm) SEAM ALLOWANCE



# Congrats!

You've completed your sewing adventure!


---

## SHARE YOUR look!



Post your pattern and tag us at  
@McCALLPATTERNCOMPANY and use #MCCALLSPATTERNS  
for a chance to be featured on our social media!

Look for more McCall's PDF patterns at **McCALLPATTERN.COM**

 1-800-255-2762

Copyright © 2020 CSS Industries, Inc. All Rights Reserved.  
Sold for individual home use only and not for commercial or manufacturing purposes.