

LAURA WAYNE QUILT



EASY

WHAT YOU'LL NEED

Fabrics are from 'Laura Wayne' range:

- 30cm Fabric of each (12 different designs)
- 1.5m x 1.9m Fabric of choice for backing. (Wide width quilting fabric) plus extra for 5 x 2½" strips for binding or remainder from wide backing.
- 1.5m x 1.9m Legacy cotton/bamboo batting
- Matching Gutermann 100% cotton thread
- Rotary cutter, mat & guilters rulers
- · Quilting pins, tape measure
- Scissors
- Seam ripper
- · Hand sewing needle
- Sewing machine with ¼" foot & walking foot

Quilt measures: $55^{\circ} \times 73^{\circ}$ (140cm x 185cm) All fabrics should be 100% cotton, washed & pressed.

 $\ensuremath{\mathcal{V}}$ seam allowance used throughout unless otherwise indicated.

Read all instructions carefully before commencing the quilt.

INSTRUCTIONS

Cutting:

All strips are cut across the width of fabric unless otherwise stated.

From each of the 12 fabrics cut 4 x 10-inch squares (25cm).

Backing fabric 1.5m x 1.9m plus extra for 5 x $2\frac{1}{2}$ " strips for binding.

Step 1 - From the 10" squares cut each square at 6.5", now you have two strips: a 3.5" and a 6.5".







Step 2 - Join 1 of each 3.5" piece to a 6.5" piece alternating fabrics randomly.



Step 3 - Now cut your blocks in half, that's at 5". (5" x 9.5")

Step 4 - Flip your stacks and sew them back together again, with the smaller strips on opposite ends. Your blocks should finish at 9.5". Arrange by alternating vertically and horizontally.



Step 5 - Arrange the blocks into 8 rows with 6 squares in each row, alternating the direction of the blocks as in diagram.

ROW 1:



Step 6 - When happy with the arrangement sew blocks together in rows pressing seams in one direction alternating the direction in each row.

Step 7 - Pin and sew the rows together matching seams. Press seams in one direction



Step 8 - Layer the backing, batting and quilt top and baste together. Trim off excess fabric and batting all the way around quilt. Quilt as desired.

Step 9 - Join the $5x\ 2\frac{1}{2}$ " binding strips together to make one long strip to go around all edges of quilt. Press in half lengthwise and bind to quilt, mitering at the corners.

