SPOTLIGHT

LION BRAND WOOL-EASE THICK & QUICK JUTKA CARDIGAN

Nº 16.19.26 PROJECT SHEET

LION BRAND WOOL-EASE THICK & QUICK JUTKA CARDIGAN

e easy

WHAT YOU'LL NEED

- · 'Lion Brand' Wool-Ease Thick & Quick
- 5 (6, 7, 8, 9) balls
- Stitch markers
- Scissors needle
- Circular knitting needle size 9 mm), 101.5 cm long

MEASUREMENTS						
SIZES		S	м	L	1X	2X
Finished Bust (buttoned)	cm	101.5	112	122	132	142
Finished Length	cm	54.5	58.5	62	66	70

Note - Pattern is written for smallest size with changes for larger sizes in parentheses. When only one number is given, it applies to all sizes. To follow pattern more easily, circle all numbers pertaining to your size before beginning.

TENSION

8 sts + 17 rows = 10 cm in Garter st (k every st on every row).

STITCH EXPLANATIONS

M1 (make 1) An increase worked by lifting the horizontal strand lying between needles and placing it onto the left needle. Knit this new stitch through the back loop – 1 st increased.

ssk (slip, slip, knit) Slip next 2 sts as if to knit, one at a time, to right needle; insert left needle into fronts of these 2 sts and knit them together – 1 st decreased.

yo (yarn over) An increase that also creates a small decorative hole (eyelet) in the fabric, worked as follows:

1. Bring yarn to front, between the needles.

2. Take yarn to back, over the right needle. This creates the new st. You are now ready to proceed with the next st as instructed.

TECHNIQUE EXPLANATION

Cable Cast On *Insert right needle between first 2 sts on left needle, wrap yarn and pull through (as if knitting a st), transfer new st to left needle; rep from * for desired number of sts.

Note – Increases (M1) at beg and end of rows shapes front shoulders, yarn overs (yo) shape fronts and lower body.

NOTES

1. Cardigan is worked in 3 pieces: Body and 2 Sleeves.

2. The Back is knit first from back neck down to underarms, then front edge of armholes. Increases are worked at the beginning and end of rows to shape front shoulders and on each side of markers placed at underarms to shape lower body. When front shoulders are complete, decreases are worked at the beginning and end of rows to shape front neck.

3. A circular needle is used to accommodate the number of sts. Work back and forth in rows with the circular needle as if working on straight needles.

4. When you see 'work even' in the instructions, this means to continue on in the pattern st you have established without changing the st count by increasing, decreasing, casting on, or binding off.

The information on this project sheet is presented in good faith, but no warranty is given, nor results guaranteed. Quantities and selections may vary at each store. Copyright Spotlight 2019.



INSTRUCTIONS

CARDIGAN

Back Beg at back neck, cast on 14 (14, 16, 16, 18) sts.

Knit 1 row.

SHAPE BACK SHOULDERS

Row 1 – Cable cast on 5 (5, 6, 6, 7) sts, k to end of row – you will have 19 (19, 22, 22, 25) sts in this row.

Row 2 - Cable cast on 5 (5, 6, 6, 7) sts, k to end of row - 24 (24, 28, 28, 32) sts.

Rows 3-6 - Cable cast on 4 (5, 5, 6, 6) sts, k to end of row - 40 (44, 48, 52, 56) sts in Row 6.

Work even in Garter st (k every st on every row) until piece measures about 10 1/2 (11, 11 1/2, 12, 12 1/2) in. (26.5 (28, 29, 30.5, 32) cm) from beg.

CAST ON FOR FRONT ARMHOLES

Rows 1 and 2 – Cable cast on 18 (19, 20, 21, 22) sts, k to end of row – 76 (82, 88, 94, 100) sts.

SHAPE FRONTS, FRONT SHOULDERS, AND LOWER BODY

Row 1 (RS) – K16 (17, 18, 19, 20), yo, k1, place marker (pm), k1, yo, k40 (44, 48, 52, 56), yo, k1, pm, k1, yo, k16 (17, 18, 19, 20) – 80 (86, 92, 98, 104) sts.

Row 2 – Knit, slipping markers as you come to them.

Continue to slip markers, as you come to them, to end of piece.

Row 3 (Increase Row) – K1, M1, k to 1 st before first marker, yo, k1, slip marker (sm), k1, yo, k to 1 st before next marker, yo, k1, sm, k1, yo, k to last st, M1, k1 – 86 (92, 98, 104, 110) sts.

Note - The number of sts you'll have is not important for the remainder of the Cardigan.

Row 4 - Knit.

Row 5 - K to 1 st before first marker, yo, k1, sm, k1, yo, k to 1 st before next marker, yo, k1,

sm, k1, yo, k to end of row - 90 (96, 102, 108, 114) sts.

Rows 6-7 (9, 11, 13, 15) – Rep Rows 4 and 5 for 1 (2, 3, 4, 5) more times – 94 (104, 114, 124, 134) sts.

Next Row - Knit.

Next Row (RS) - Rep Row 3 - 100 (110, 120, 130, 140) sts.

Next 6 (8, 10, 12, 14) Rows – Beg at Row 4, rep last 6 (8, 10, 12, 14) rows – 114 (128, 142, 156, 170) sts when all increases have been completed.

Next Row - Knit.

Next Row – K to 1 st before first marker, yo, k1, sm, k1, yo, k to 1 st before next marker, yo, k1, sm, k1, yo, k to end of row – 118 (132, 146, 160, 174) sts.

Rep last 2 rows until piece measures about 16.5 (19, 20.5, 23, 24) cm from front armhole cast on, end with a WS row as the last row you work.

SHAPE FRONT NECK AND CONTINUE SHAPING LOWER BODY

Row 1 (RS) – Bind off 5 (5, 6, 6, 7) sts, k to 1 st before first marker, yo, k1, sm, k1, yo, k to 1 st before next marker, yo, k1, sm, k1, yo, k to end of row.

Row 2 – Bind off 5 (5, 6, 6, 7) sts, k to end of row.

Row 3 – K1, ssk, k to 1 st before first marker, yo, k1, sm, k1, yo, k to 1 st before next marker, yo, k1, sm, k1, yo, k to last 3 sts, k2tog, k1 – 2 sts increased.

Row 4 - Knit.

Rows 5-8 – Rep Rows 3 and 4 for 2 more times.

Row 9 - K to 1 st before first marker, yo, k1, sm, k1, yo, k to 1 st before next marker, yo, k1, sm, k1, yo, k to end of row.

Row 10 - Knit.

Rows 11-20 (20, 22, 22, 24) – Rep Rows 9 and 10 for 5 (5, 6, 6, 7) more times.

The information on this project sheet is presented in good faith, but no warranty is given, nor results guaranteed. Quantities and selections may vary at each store. Copyright Spotlight 2019.



Bind off as if to knit.

SLEEVES (make 2) Cast on 32 (34, 36, 38, 40) sts. Knit 6 rows. **Next Row (Increase Row)** – K1, M1, k to last st, M1, k1 – 34 (36, 38, 40, 42) sts. Knit 7 rows. Rep Increase Row – 36 (38, 40, 42, 44) sts. Knit 5 rows.

SHAPE CAP (Top of Sleeve) **Rows 1-8** – Bind off 3 (3, 3, 4, 4) sts, k to end of row – 12 (14, 16, 10, 12) sts. Bind off rem sts as if to knit.

FINISHING

Sew shoulder seams.

NECK TRIM

From RS, pick up and k48 (48, 54, 54, 69) sts evenly spaced along neck edge. Bind off, without working any rows.

Sew in Sleeves. Sew Sleeve seams.

Weave in ends.

The information on this project sheet is presented in good faith, but no warranty is given, nor results guaranteed. Quantities and selections may vary at each store. Copyright Spotlight 2019.

